

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

**1 Identification**

- **Product identifier**
- **Trade name: Gesswein Ultra-Brite Solution**
- **Product number: 8515317, 8515318, 8515319**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Product description PC35** Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Alkaline cleaner/ detergent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Paul H. Gesswein & Co., Inc.  
201 Hancock Ave., Bridgeport, CT 06605  
Phone: 203-366-5400, FAX: 203-366-3953  
email: [info@gesswein.com](mailto:info@gesswein.com), [www.gesswein.com](http://www.gesswein.com)
- **Emergency phone number: CHEMTELL - 800-255-3924**

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Monoethanolamine
- **Hazard statements**  
Causes severe skin burns and eye damage.
- **Precautionary statements**  
Do not breathe dusts or mists.  
Wear eye protection / face protection.  
Wash thoroughly after handling.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

Immediately call a poison center/doctor.  
 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 Wash contaminated clothing before reuse.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Classification system:**

• **NFPA ratings (scale 0 - 4)**



• **HMIS-ratings (scale 0 - 4)**

HEALTH	4	Health = 4
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

• **Hazard(s) not otherwise classified (HNOC):** None known

## 3 Composition/information on ingredients

CAS: 69227-09-4	Benzenesulfonic acid, dodecyl-, branched, sodium salt	5-10%
CAS: 66455-15-0	Alcohols, C10-14, ethoxylated	2-12%
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	40-60%

• **Chemical characterization: Substances**

• **CAS No. Description**

Cleaning Solvent, Blend

• **Identification number(s)**

• **EC number:** 265-192-2

• **Index number:** 649-267-00-0

• **Chemical characterization: Mixtures**

• **Description:** Mixture of substances listed below with nonhazardous additions.

• **Dangerous Components:**

CAS: 141-43-5 RTECS: KJ 5775000	Monoethanolamine Skin Corr. 1B, H314;  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Flam. Liq. 4, H227	15-35%
CAS: 9084-06-4	Surfactant Skin Irrit. 2, H315; Eye Irrit. 2B, H320	2-12%

## 4 First-aid measures

• **Description of first aid measures**

• **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

- **After inhalation:**

*In case of unconsciousness, place patient securely on side position for transportation.*

- **After skin contact:**

*Immediately wash with water and soap and rinse thoroughly.*

*If skin irritation occurs, consult a doctor.*

- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

- **After swallowing:** *Drink copious amounts of water and provide fresh air. Immediately call a doctor.*

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed:**

*No further relevant information available.*

- **Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

### 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.*

- **Special hazards arising from the substance or mixture** *No further relevant information available.*

- **Advice for firefighters**

- **Protective equipment:**

*As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.*

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

*Wear protective equipment. Keep unprotected persons away.*

- **Environmental precautions:**

*Dilute with plenty of water.*

*Do not allow to enter sewers/ surface or ground water.*

- **Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).*

*Use neutralizing agent.*

*Dispose contaminated material as waste according to section 13.*

*Ensure adequate ventilation.*

*Dispose of the collected material according to regulations.*

- **Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

### 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

*Ensure good ventilation/exhaustion at the workplace.*

*Prevent formation of aerosols.*

(Contd. on page 4)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

- **Components with occupational exposure limits:**

#### 141-43-5 Monoethanolamine

PEL	Long-term value: 6 mg/m <sup>3</sup> , 3 ppm
REL	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 8 mg/m <sup>3</sup> , 3 ppm
TLV	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

- **Penetration time of glove material**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Solution

**Color:** Various colors

- **Odor:** Recognizable

- **Odor threshold:** Not determined.

- **pH-value @ 20 °C (68 °F):** 13.3

- **Change in condition**

**Melting point/Melting range:** --

**Boiling point/Boiling range:** 100 °C (212 °F)

- **Flash point:** 110 °C (230 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 385 °C (725 °F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

**Lower:** 0.0 Vol %

**Upper:** 0.0 Vol %

- **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17 mm Hg)

- **Density @ 20 °C (68 °F):** 1.05 g/cm<sup>3</sup> (8.762 lbs/gal)

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

**Water:** Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

**Dynamic @ 20 °C (68 °F):** 3 mPas

(Contd. on page 6)

US

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

**Kinematic:** Not determined.**· Solvent content:****Organic solvents:** 20.0 %**Water:** 60.0 %**VOC content:** 20.0 %**· Other information**

No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information****· Information on toxicological effects****· Acute toxicity:****· LD/LC50 values that are relevant for classification:****141-43-5 Monoethanolamine**

Oral LD50 2050 mg/kg (rat)

Dermal LD50 1000 mg/kg (rabbit)

**· Primary irritant effect:****· on the skin:** Strong caustic effect on skin and mucous membranes.**· on the eye:**

Corrosive effect.

Causes serious eye irritation.

**· Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**· Carcinogenic categories****· IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

**· NTP (National Toxicology Program)**

None of the ingredients are listed.

(Contd. on page 7)

US

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

<ul style="list-style-type: none"> <li>· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |                                  |   |
|----------------------------------|---|
| · <b>UN-Number</b>               | UN3267  |
| · <b>DOT, ADR, IMDG, IATA</b>    | Not Regulated for Transportation                        |
| · <b>UN proper shipping name</b> | Corrosive liquid, basic, organic, n.o.s. (Ethanolamine) |
| · <b>DOT</b>                     | UN3267 Corrosive liquid, basic, organic, n.o.s. mixture |
| · <b>ADR</b>                     | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. mixture        |
| · <b>IMDG, IATA</b>              | (Contd. on page 8)                                      |



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

· **Transport hazard class(es)**· **DOT**

- **Class** 8 Corrosive substances
- **Label** 8

· **ADR**

- **Class** 8 (C7) Corrosive substances
- **Label** 8

· **IMDG, IATA**

- **Class** 8 Corrosive substances
- **Label** 8
- **Packing group** III
- **DOT, ADR, IMDG, IATA** III
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Warning: Corrosive substances
- **Danger code (Kemler):** 80
- **EMS Number:** F-A, S-B
- **Segregation groups** Alkalis
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:**
- **DOT**
- **Quantity limitations** On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L
- **ADR**
- **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- **IMDG**
- **Limited quantities (LQ)** 5L

(Contd. on page 9)

US



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/201

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**UN3267, Corrosive liquid, basic, organic, n.o.s. mixture,  
8, III**15 Regulatory information**· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Sara N/A

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **California Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

GHS05

(Contd. on page 10)

US

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*Monoethanolamine*

· **Hazard statements**

*Causes severe skin burns and eye damage.*

· **Precautionary statements**

*Do not breathe dusts or mists.*

*Wear eye protection / face protection.*

*Wash thoroughly after handling.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).*

*IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.*

*Wash contaminated clothing before reuse.*

*If swallowed: Rinse mouth. Do NOT induce vomiting.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **National regulations:**

*The product is subject to be classified according with the latest version of the regulations on hazardous substances.*

· **State Right to Know**

CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	40-60%
CAS: 141-43-5 RTECS: KJ 5775000	Monoethanolamine ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Flam. Liq. 4, H227	15-35%
CAS: 69227-09-4	Benzenesulfonic acid, dodecyl-, branched, sodium salt	5-10%
CAS: 9084-06-4	Surfactant ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	2-12%
CAS: 66455-15-0	Alcohols, C10-14, ethoxylated	2-12%
<i>All ingredients are listed.</i>		

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

· **Date of preparation / last revision** 05/16/2015 / 7

(Contd. on page 11)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2015

Reviewed on 05/16/2015

### · **Abbreviations and acronyms:**

*ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road*

*ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*Flam. Liq. 4: Flammable liquids, Hazard Category 4*

*Acute Tox. 4: Acute toxicity, Hazard Category 4*

*Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A*

*Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B*

*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*

*Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B*

### · **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106